

PRODUCT NUMBER
10118528-6XX-06LF



PLATING
6 = 0.38µm Au/GXT FULL PLATED

ROHS COMPATIBLE PRODUCT
SEE NOTE 5
NB OF POSITIONS PER ROW

PIN STYLE	DIM"A"	DIM"B"
01	4.00	4.00
02	5.90	5.90
03	8.40	8.40
04	9.80	9.80
05	3.25	3.25

KIT NUMBER	MADE FROM	QTY
10118528-0003LF	10118528-603-06LF	144

PACKAGING NOTE 6



NOTES:

1. MATERIAL HOUSING: HIGH TEMP. THERMOPLASTIC UL 94V-0, COLOR BLACK
2. MATERIAL TERMINAL: COPPER ALLOY
3. 7N MIN. PIN RETENTION IN EITHER DIRECTION.
4. STANDARD PACKAGING IN PLASTIC BOX
5. ROHS COMPATIBLE PRODUCT SPECIFICATIONS

a - PLATING:

- "LF" MEANS THE PRODUCT IS LEAD-FREE, 2µm MINIMUM MATTE TIN OVER 1.27µm MINIMUM NICKEL UNDERPLATE.

b - MANUFACTURING PROCESS COMPATIBILITY

- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C ±5°C SOLDER BATH TEMPERATURE FOR 5 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.6mm MIN THICK CIRCUIT BOARD.

- COMPATIBLE TO REFLOW PROCESS 260°C MAX FOR 30 SECONDES

c - LABELLING:

- MEETS PACKAGING SPECS AS PER GS-14-920

d - LEGAL STATEMENT: SEE GS-47-0004

- 6. PACKAGING IN PLASTIC BOX : 144PCS

mat'l. code	surface	tolerance	projection	product family				
lfr	ecm no	dr	date	ISO 1302	ISO 406	ISO 101	mm	MINITEK
A	F11-0098	LMU	11.09.13	tolerances unless otherwise specified	X	±0.3		UNSH HEADER
B	F12-0078	JCO	12.06.26	linear	XX	±0.13	1:1	2.00 mm VERTICAL TMT
C	F12-0088	JCO	12.12.07	linear	XXX	±0.05	1:1	
D	B-19190	LMU	14.10.24	engr./COMPAGNONI		06.06.11		
				chf	JM.C	06.06.11		
				appd				
sheet	revision							
index	sheet							