


	1	2	3	1	4
	METRAL P/N ROW 2 3 4 5 6	METRAL P/N ROW I 2 3 4 5 6 85838-X05	METRAL P/N ROW I 2 3 4 5 6 85838-X09	METRAL P/N ROW 2 2 3 3	NTACT CODE MOD. 1 3 4 5 6 3 3 3 3 3
А	0 25 25 25 25 25 25 25 25 25 25 25 25 25	D 22 22 22 22 22 22 22 22 22 22 22 22 24 44 4	D 6 6 6 6 6 6 6 6 8 85838-X09LF A 6 6 6 6 6 6 6	D 3 3 3 C 3 3 B 2 2	3 3 3 3 3 3 3 3 2 2 2 2 2 2 2 2 2
	METRAL P/N ROW 2 3 4 5 6	METRAL CONTACT CODE MOD. P/N ROW 2 3 4 5 6	METRAL CONTACT CODE MOD.	METRAL P/N ROW I 2	NTACT CODE MOD. 1 3 4 5 6 6 16 16 16 16
	85838-X02 D 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	85838-X06 D I I I I I I I C C 3 3 3 3 3 3 3	B5838-X10 D 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	D 16 16	6 16 16 16 16 16 16 16 16
	85838-X02LF	85838-X06LF	85838-XIOLF B 2 2 2 2 2 2 2 2 2	85838-X14LF A 1616	S
В	METRAL P/N ROW 2 3 4 5 6	METRAL P/N ROW 2 3 4 5 6	METRAL P/N ROW I 2 3 4 5 6 85838-X11	METRAL P/N ROW I 2	MOD. 1 3 4 5 6 8 13 13 13 13
	D 3 3 3 3 3 3 3 C 3 3 3 3 3 3 85838-X03LF B 19 19 19 19 19 19 19	D 4 4 4 4 4 4 4 6 C 4 4 4 4 4 4 B 4 4 4 4 4 4 4 4 4 4 4 4	D 4 4 4 4 4 4 4 4 4 B 19 19 19 19 19 19	D 13 13 13 13 13 13 13 1	3 13 13 13 13 13 13 13
	A 3 3 3 3 3 3 CONTACT CODE	85838-X07LF A 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	85838-XIILF A 19 19 19 19 19 19 19 19 19	COM	3 13 13 13 13 14 15 15 15 15 15 15 15
7)),	METRAL P/N ROW 1 2 3 4 5 6 85838-X04 E 3 3 3 3 3 3 3 3 1	METRAL P/N ROW I 2 3 4 5 6 85838-X08 E 20 20 20 20 20 20 D 8 8 8 8 8 8 8	METRAL P/N ROW I 2 3 3 4 5 6 85838-X12 E 7 7 7 7 7 7 7	P/N ROW 2 85838-X16 E 17 17	MOD.
C	C 10 10 10 10 10 10 10 B 9 9 9 9 9 9 9 A 10 10 10 10 10 10 10 10 10 10 10 10 10		C 7 7 7 7 7 85838-X12LF A 3 3 3 3 3 3	C 17 17	7 17 17 17 17 17 17 17
+ FC I.					
pyright —					
Сор		d r Terran Huang 2010/07/0 e n g Julia Wang 2012/09/1		MM	scale
		chr -		→ e	C N NO ELX-DG-012854-1
D		appr Pei-Ming Zheng 2012/09/1	product family	METRAL r	el level Released
			L SIGNAL HEADER	о u б л	85838 rev
			5 ROW PRESS-FIT	\$ ♥	BH
	Prest File · REV C · 2009-06-09	www.fci.com cat. no.	- Pro-	duct - Customer 1	Drw sheet 3 of 9
		2	3 PDS	: Rev :BH STATU	S:Released Printed: Sep 19, 20

I	2	3		4
METRAL P/N ROW 1 2 3 4 5 6 85838-X17 E 14 14 14 14 14 14 14 D 14 14 14 14 14 14 14	METRAL P/N ROW 1 2 3 4 5 6 85838-X21 E 10 10 10 10 10 10 10 10 10 10 10 10 10	METRAL P/N ROW I 2 3 4 5 6 85838-X25 D 22 22 22 22 22 22	METRAL P/N ROW I 2 3 4 85838-X29 E 56 56 56 56	5 6 56 56 56 56 56 56 A
METRAL P/N ROW	METRAL P/N ROW 2 3 4 5 6	METRAL P/N ROW I 2 3 4 5 6 85838-X26 E 54 54 54 54 54 54 D 55 55 55 55 55	METRAL P/N ROW I 2 3 4 85838-X30 E 3 3 3 3 3 D 3 3 3 3 3	DDE 5 6 3 3 3 3 3
B 18 18 18 18 18 18 18 1	85838-X22LF B 2 2 2 2 2 2 2 2 A 2 2 2 2 2 2 2 2 2 2	85838-X26LF B 55 55 55 55 55 55 55	85838-X30LF	3 3 3 3 ODE
D 15 15 15 15 15 15 15 1	85838-X23 D	D 48 48 48 48 48 48 48 48 48 48 48 48 48	85838-X31	19 19 3 3 3 1 1 1
C METRAL P/N ROW 2 3 4 5 6	METRAL P/N ROW 1 2 3 4 5 6 85838-X24 E 20 20 20 20 20 20 20 D 5 5 5 5 5 5 5 C 20 20 20 20 20 20 20 20 20 20 20 20 20	METRAL P/N ROW I 2 3 4 5 6 8 85838-X28 E 3 3 3 3 3 3 3 3 3	METRAL P/N ROW I 2 3 4 85838-X32 E I I I I I I D I I I I I C 2 2 2 2 2 :85838-X32LF B I I I I I A 2 2 2 2	C C
Copyright —	d r Terran Huang 2010/0	7/08 projection	NANA Size	scale
	e n g	9/19	MM ecn no	I
D	appr Pei-Ming Zheng 2012/0	product family	METRAL rel 1	Released D
		AL SIGNAL HEADER 5 ROW PRESS-FIT	о и в м р	5838 BH
	www.fci.com cat. no.		duct - Customer Drw	sheet 4 of 9
Pre/E File - REV C - 2009-06-09	2	3 PDS :	Rev :BH STATUS:Rel	eased Printed: Sep 19, 2012

	I	2	3		4
	METRAL P/N ROW I 2 3 4 5 6 E 6 6 6 6 6 6	METRAL P/N ROW I 2 3 4 5 6	METRAL P/N ROW 2 3 4 5 6	P/N ROW I	ONTACT CODE MOD. 1 2 3 4 5 6 60 60 60 60 60
А	85838-X33 D 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	85838-X37 D 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	85838-X41 D 61 61 61 61 61 61 61 61 61 61 61 61 61	D 60 60 60 60 60 60 60 60 60 60 60 60 60	60 60 60 60 60 60 60 60 60 60 60 60 60 60 60
	85838-X33LF A 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	85838-X37LF A 19 19 19 19 19 19 19 METRAL CONTACT CODE MOD. 1	85838-X41LF A 61 61 61 61 61 61 61 61 61 61 61 61 61	85838-X45LF A 60 6	00 60 60 60 60 60 00 00 00 00 00 00 00 0
	85838-X34 E 19 19 19 19 19 19 19	85838-X38	85838-X42 E 60 60 60 60 60 60 60 60 60 60 60 60 60	85838-X46 E 62 0 D 62 0	2 3 4 5 6 62 62 62 62 62 62 62 62 62 62 62 62
	85838-X34LF B 4 4 4 4 4 4 4 A A A A A A A A A A A A	85838-X38LF B 59 59 59 59 59 59 59 A 59 A 59 B 59 B	85838-X42LF B 62 62 62 62 62 62 62 A 60 60 60 60 60	85838-X46LF B 62 A 62	62 62 62 62 62 62 62 62 62 62 62 62 62 62 62 62
В	METRAL P/N ROW 2 3 4 5 6	METRAL P/N ROW I 2 3 4 5 6 85838-X39 E 59 59 59 59 59	METRAL P/N ROW 2 3 4 5 6	P/N ROW I 85838-X47 E 63 (DNTACT CODE MOD. 1 2 3 4 5 6 63 63 63 63 63 63 63 63 63 63
	D 4 4 4 4 4 4 4 4 4 4 4 4 8 8 8 8 8 8 8	D 59 59 59 59 59 59 59 59 59 59 C 59 59 59 59 59 59 59 B 59 59 59 59 59 59 59 A 61 61 61 61 61 61	D 61 61 61 61 61 61 61 61 61 61 61 61 61	C 63 B 63 C	63 63 63 63 63 63 63 63 63 63 63 63 63 63 63
5	METRAL CONTACT CODE MOD. 1 P/N ROW 1 2 3 4 5 6	METRAL CONTACT CODE MOD. P/N ROW	METRAL P/N ROW 2 3 4 5 6	METRAL P/N ROW I	DNTACT CODE MOD. 1 2 3 4 5 6
C	85838-X36 E 21 21 21 21 21 21 21 21 21 21 21 21 21	85838-X40	85838-X44 E 61 61 61 61 61 61 61 61 61 61 61 61 61	D 40	40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40
FCI.	85838-X36LF A 12 12 12 12 12 12	85838-X40LF A 61 61 61 61 61 61	85838-X44LF A 61 61 61 61 61 61		40 40 40 40 40
Copyright					
J.		e n g		V V	size
D		c h r - - - -	product family		ecn no ELX-DG-012854-1 rel level Released
			AL SIGNAL HEADER	0 0	85838 Released
		1	5 ROW PRESS-FIT	% p	ВН
		www.fci.com cat. no.	- Pro	duct - Customer	Drw sheet 5 of 9
	ProfE File - BEV C - 2009-06-00	2	3 PDS	: Rev :BH STAT	US:Release <mark>tl Printed: Sep 19, 201</mark>

	I	2	3		4
A	METRAL P/N ROW I 2 3 4 5 6 85838-X49 E 40 40 40 40 40 40 40 D 40 40 40 40 40 40 40 C 40 40 40 40 40 40 40 85838-X49LF A 41 41 41 41 41	METRAL P/N ROW 1 2 3 4 5 6 85838-X53 E 41 41 41 41 41 41 41	METRAL P/N ROW I 2 3 4 5 6 85838-X57 E III II II II II II II D II II II II II II II C I2 I2 I2 I2 I2 I2 I2 I2 I2 I3	METRAL P/N ROW I 2	ACT CODE OD.
_	METRAL P/N ROW I 2 3 4 5 6 85838-X50 E 25 25 25 25 25 25 D 41 41 41 41 41 41	METRAL P/N ROW I 2 3 4 5 6 85838-X54 E 41 41 41 41 41 41 D 41 41 41 41 41 41 C 41 41 41 41 41 41	METRAL P/N ROW 2 3 4 5 6	METRAL P/N ROW I 2 2 85838-X62 E I I C D 2 2	1
В	B 25 25 25 25 25 25 25	B 43 43 43 43 43 43 43	B 21 21 21 21 21 21 21	METRAL P/N ROW 1 2	2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
5	85838-X51LF	85838-X55LF	B 20 20 20 20 20 20 20	85838-X63LF A 3 3 METRAL P/N ROW I 2 85838-X64 E 2 2 D 3 3	ACT CODE OD
Copyright FCI.	85838-X52LF B 42 42 42 42 42 42 42 A2	3	85838-X60LF	85838-X64LF A 4 4	z e scale
		eng Julia Wang 2012/09 . chr		V V 	A 4 : 0
D		appr Pei-Ming Zheng 2012/09/	product family		Released [
			AL SIGNAL HEADER 5 ROW PRESS-FIT	о u б м р	85838 BH
		www.fci.com cat. no.	- Proc	luct – Customer D	rw sheet 6 of 9
	ProjE File - REV C - 2009-06-09	2	3 PDS :	Rev :BH STATUS	:Released Printed: Sep 19, 2012

I	2	3	4	
METRAL P/N ROW I 2 3 4 5 6 85838-X65 E 6 6 6 6 6 6 6 D 7 7 7 7 7 7 7	METRAL P/N ROW CONTACT CODE MOD.	METRAL P/N ROW I 2 3 4 5 6 85838-X73 E 3 3 3 3 3 3 3 3 3 3 3 3	METRAL P/N ROW CONTACT CODE MOD.	
A 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	85838-X69LF	B S S S S S S S S S S S S S S S S S S S	85838-X77LF	A
METRAL CONTACT CODE MOD.	METRAL P/N ROW 2 3 4 5 6	METRAL P/N ROW CONTACT CODE MOD 1 2 3 4 5 6	METRAL P/N ROW CONTACT CODE MOD.	
85838-X66 D	85838-X70 D 19 19 19 19 19 19 19 19 19 19	85838-X74 D	85838-X78	
B METRAL CONTACT CODE MOD. 1 2 3 4 5 6	METRAL P/N ROW I 2 3 4 5 6 85838-X71 E 3 3 3 3 3 3 3 3	METRAL P/N ROW I 2 3 4 5 6 85838-X75 E 3 3 3 3 3 3 3 D 2 2 2 2 2 2 2	METRAL P/N ROW I 2 3 4 5 6 85838-X79 E 19 19 19 19 19 19 19 19 19 19 19 19 19	В
S5838-X67LF	85838-X71LF A 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	85838-X75LF	85838-X79LF	C
85838-X68LF A 61 61 61 61 61 61 61 61 61 61 61 61 61	85838-X72LF A 6 6 6 6 6 6	85838-X76LF A 3 3 3 3 3 3	85838-X80LF A	
Copy	dr Terran Huang 2010/03 e n g Julia Wang 2012/09 c h r - -		MM size A4	s c a e ; 0 ELX-DG-012854-1
D	appr Pei-Ming Zheng 2012/09	product family	METRAL rel level	Released
	FC) = METR	AL SIGNAL HEADER 5 ROW PRESS-FIT	© 85838	rev
	www.fci.com cat. no.		uct – Customer Drw	sheet 7 of 9
Pro/E File - REY C - 2009-06-09	2		Rev :BH STATUS:Released	Printed: Sep 19, 2012



PRODUCT NUMBER

85838-XYY

85838-XYYLF

NOTES:

I. FOR DIM A AND B SEE SHEET 2 AND UP.

 BODY MATERIAL: LIQUID CRYSTAL POLYMER 30 % GLASS.

FLAME RETARDANT ACC. UL 94-VO.

3. PIN MATERIAL:

PHOSPHOR BRONZE.

4. PLATING ON PRESS-FIT TAIL: 85838-XYY IS SnPb, 85838-XYYLF IS Sn(LEAD FREE) CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE BELOW.

5. PRODUCT MARKING:

PART NUMBER DESIGNATION & BATCH I.D.

6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP

7. PRODUCT SPECIFICATION: GS-12-180

8. APPLICATION SPECIFICATION: BUS-20-073
AFTER INSERTION INTO CIRCUIT BOARD WITH

∠ QUALIFIED TOOL.

(9.) - A PLATING HAS AU FLASH IN PRESS FIT AREA (LEAD FREE).

THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-NI--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-NI--- AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND AU CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMIM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING	IN CONTACT AREA	NOTES
DASH NUMBER	PERFORMANCE LEVEL	-
- A Y Y	TELCORDIA CO (SEE NOTE 9)	-
- N I Y Y	TELCORDIA CO (NXT)	-
- N 5 Y Y	TELCORDIA UE (NXT)	-
- I Y Y	TELCORDIA CO	-
- 2 Y Y	TELECOM CLASS	-
- 3 Y Y	IEC CLASS I	-
- 5 Y Y	TELCORDIA UE	-
- AYYLF	TELCORDIA CO (SEE NOTE 9)	SEE NOTE 10
- NIYYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 10
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 10
- I YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 10
-2YYLF	TELECOM CLASS	SEE NOTE 10
-5YYLF	TELCORDIA UE	SEE NOTE 10

dr	Terran Huang		2010/07/08	projection		ИM	size	scale		
eng	Julia Wang		2012/09/19		l I	V V	A 4	11:10	11:10	
chr	-		-		-		ecn no	ELX-DG-0	012854-1	
appr	Pei-Ming Zheng		product family		у	METRAL	rel level	Rele	Released	
F	Cj		TRAL SIGN		E R	ou 6w	85838	3	rev	
	9	-	10D, 5 ROW PF	RESS-FIT		ĺρ			BH	
www.	.fci.com	cat. no),	-	Product -	Customer	Drw	sheet 9 of	9	

5)),

yright FCI

D

Pro/E File - REV C - 2009-06-09

2

PDS: Rev :BH

STATUS:Released

Printed: Sep 19, 2012

D

Α